

## B611 WEDGE CONNECTOR WITH GROUNDING RINGS

### B611 wedge connector crc

#### Product description:

CRC-x a/b

CRC : CROP C Connector ; x: Type Number of C body

a: Main conductor in mm<sup>2</sup> , b: Tap conductor in mm<sup>2</sup>

The "C-Ring" and wedge Connector are used to connect solid and stranded aluminum, aluminum alloy and stranded aluminum composite conductors including AAC, AAAC, ACSR, ACAR, AW, ACSR/AW, and ACSS. They may also be used in non-corrosive environments to connect copper conductors.

#### Used materials:

Aluminum Alloy, Polystyrene Cover, Aluminum ring or copper tinned ring.  
Undergrounding ring: diameter 10mm

#### Variants:

The product is manufactured and supplied in modifications as following page.  
Special range can be required.

#### Storage and transport:

Product do not have any specific storage requirements. Its is fire resistant and non-hazardous.

#### Accessories for your choose if you need:

\* **Undergrounding Rings** for your choose: **Ring12** for CRC-1 and CRC-2, **Ring34** for CRC-3 and CRC-4;

\* **Plastic cover** for your choose : **JXL12** for CRC-1 and CRC-2, **JXL34** for CRC-3 and CRC-4;

\* **Rubber cover** for your choose: **JXR12** for CRC-1 and CRC-2, **JXR34** for CRC-3 and CRC-4;

\* **IP67 Cover** for water sensitive connections: **MBX1** for CRC-1 and CRC-2; **MBX3** for CRC-3 and CRC-4;



CRC-1, CRC-2



B612

Ring12 for CRC-1, CRC-2



B612

Ring34 for CRC-3, CRC-4

## B615 WEDGE CONNECTOR COVER

### Product description:

JXLx JXRx

x: Type Number of C body

x = 1, 2, 3, 4

L: Plastic R: Rubber

The Wedge connector cover for CRC Wedge connector .

\* If want to 100% sealing, should use together with Magic gel.

#### Used materials: anti uv plastic, rubber

\* Plastic cover for your choose : JXL12 for CRC-1 and CRC-2, JXL34 for CRC-3 and CRC-4;

\* Rubber cover for your choose: JXR12 for CRC-1 and CRC-2, JXR34 for CRC-3 and CRC-4;

#### Variants:

The product is manufactured and supplied in modifications as following page.  
Special range can be required.

#### Storage and transport:

Product do not have any specific storage requirements. Its is fire resistant and non-hazardous.



B

**B**

**B**

Wedge connector selection table for Aluminium Conductor Steel Reinforced - ACSR

Cross section	Type of cable	Turkey	Thrush	Swan	Swallow	Sparrow	Robin	Raven	Quail	Pigeon	Penguin	Waxwing	Owl	Partidge	Ostrich	Merlin	Linnet	Oriole	Chickadee	Brant	Ibis	Lark	Pelican	Flicker	Hawk	Hen	Osprey		
		AWG	5	4	3	2	1	1/0	2/0	3/0	4/0	266.8	266.8	266.8	300	336.4	336.4	336.4	397.5	397.5	397.5	397.5	477	477	477	477	556.5		
Type of cable	kcmil	6	5	4	3	2	1	1/0	2/0	3/0	4/0	266.8	266.8	266.8	300	336.4	336.4	336.4	397.5	397.5	397.5	397.5	477	477	477	477	556.5		
	mm2	15.5	19.6	24.7	31.1	39.3	49.5	62.5	78.6	99.2	125.1	142.6	152.7	157.2	176.7	179.9	198	210.3	212.5	227.5	234	248.5	255.1	273.1	280.8	298.1	297.5		
		Overall diameter	5	5.7	6.4	7.1	8	9	10.1	11.4	12.7	14.3	15.5	16.1	16.3	17.3	17.4	18.3	18.8	18.9	19.6	19.9	20.5	20.7	21.5	21.8	22.3	22.4	
		mm	5	5.7	6.4	7.1	8	9	10.1	11.4	12.7	14.3	15.5	16.1	16.3	17.3	17.4	18.3	18.8	18.9	19.6	19.9	20.5	20.7	21.5	21.8	22.3	22.4	
Turkey	6	15.5	5	CRC-1																									
Thrush	5	19.6	5.7	CRC-1	CRC-1																								
Swan	4	24.7	6.4	CRC-1	CRC-1	CRC-1																							
Swallow	3	31.1	7.1	CRC-1	CRC-1	CRC-1	CRC-1																						
Sparrow	2	39.3	8	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																					
Robin	1	49.5	9	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																				
Raven	1/0	62.5	10.1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																			
Quail	2/0	78.6	11.4	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																		
Pigeon	3/0	99.2	12.7	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																	
Penguin	4/0	125.1	14.3	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																
Waxwing	266.8	142.6	15.5	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2															
Owl	266.8	152.7	16.1	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3														
Partidge	266.8	157.2	16.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3													
Ostrich	300	176.7	17.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3												
Merlin	336.4	179.9	17.4	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3											
Linnet	336.4	198	18.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3										
Oriole	336.4	210.3	18.8	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3									
Chickadee	397.5	212.5	18.9	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3								
Brant	397.5	227.5	19.6	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3							
Ibis	397.5	234	19.9	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3						
Lark	397.5	248.5	20.5	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Pelican	477	255.1	20.7	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Flicker	477	273.1	21.5	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Hawk	477	280.8	21.8	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Hen	477	298.1	22.3	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Osprey	556.5	297.5	22.4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4

CRC series wedge connector , selection type according to the conductor size.  
 size type: CRC-x a/b  
 x: size code a: main conductor diameter b: branch conductor diameter  
 for example: CRC-1 5.7/5.7



**B**

Wedge connector selection table for Aluminum Alloy Conductor AAAC

Cross section	Type of cable		Akron	Alton	63.36MCM	Ames	105.6MCM	Azusa	133.1MCM	Anaheim	167.8MCM	Amherst	211.6MCM	Alliance	250MCM	300MCM	Butte	350MCM	Canton	400MCM	450MCM	Cairo	500MCM	550MCM	Darien	
	AWG	kcmil	30.6	48.7	63.4	77.5	105.6	123.3	133.1	155.4	167.8	195.7	211.6	246.9	250	300	312.8	350	394.5	400	450	465.4	500	550	559.5	
Type of cable	mm <sup>2</sup>	Overall diameter mm	15.5	24.7	33.6	39.3	53.5	62.5	67.5	78.6	85	99.2	107.3	125.1	126.7	152.1	158.5	177.3	199.9	202.7	228	235.8	253.3	278.6	283.5	
			5	6.4	7.4	8	9.4	10.1	10.5	11.4	11.8	12.7	13.3	14.3	14.6	16	16.3	17.2	18.3	18.4	19.6	19.9	20.6	21.7	21.8	
Akron	30.6	15.5	5	CRC-1																						
Alton	48.7	24.7	6.4	CRC-1	CRC-1																					
63.36MCM	63.4	33.6	7.4	CRC-1	CRC-1	CRC-1																				
Ames	77.5	39.3	8	CRC-1	CRC-1	CRC-1	CRC-1																			
105.6MCM	105.6	53.5	9.4	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																		
Azusa	123.3	62.5	10.1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																	
133.1MCM	133.1	67.5	10.5	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1																
Anaheim	155.4	78.6	11.4	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1															
167.8MCM	167.8	85	11.8	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1													
Amherst	195.7	99.2	12.7	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1												
211.6MCM	211.6	107.3	13.3	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1											
Alliance	246.9	125.1	14.3	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1										
250MCM	250	126.7	14.6	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2										
300MCM	300	152.1	16	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3									
Butte	312.8	158.5	16.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3								
350MCM	350	177.3	17.2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3							
Canton	394.5	199.9	18.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3						
400MCM	400	202.7	18.4	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3					
450MCM	450	228	19.6	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3				
Cairo	465.4	235.8	19.9	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3			
500MCM	500	253.3	20.6	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4		
550MCM	550	278.6	21.7	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	
Darien	559.5	283.5	21.8	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	

**Meaning of code:**  
 CRC series wedge connector , selection type according to the conductor size.  
 size type: CRC-x a/b  
 x: size code  
 for example: CRC-1 5/5



Wedge connector selection table for Aluminum Alloy Conductor AAAC to Aluminium Conductor Steel Reinforced ACSR

Cross section	Type of cable	Akron	Alton	63.36MCM	Ames	105.6MCM	Azusa	133.1MCM	Anaheim	167.8MCM	Amherst	211.6MCM	Alliance	250MCM	300MCM	Butte	350MCM	Canton	400MCM	450MCM	Cairo	500MCM	550MCM	Darien			
		AWG	kcmil	30.6	48.7	63.4	77.5	105.6	123.3	133.1	155.4	167.8	195.7	211.6	246.9	250	300	312.8	350	394.5	400	450	465.4	500	550	559.5	
Type of cable	mm2	15.5	24.7	33.6	39.3	53.5	62.5	67.5	78.6	85	99.2	107.3	125.1	126.7	152.1	158.5	177.3	199.9	202.7	228	235.8	253.3	278.6	283.5			
	Overall diameter mm	5	6.4	7.4	8	9.4	10.1	10.5	11.4	11.8	12.7	13.3	14.3	14.6	16	16.3	17.2	18.3	18.4	19.6	19.9	20.6	21.7	21.8			
Turkey	6	15.5	5	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Thrush	5	19.6	5.7	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Swan	4	24.7	6.4	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Swallow	3	31.1	7.1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Sparrow	2	39.3	8	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Robin	1	49.5	9	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Raven	1/0	62.5	10.1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Quail	2/0	78.6	11.4	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Pigeon	3/0	99.2	12.7	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Penguin	4/0	125.1	14.3	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-1	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Waxwing	266.8	142.6	15.5	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-2	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Owl	266.8	152.7	16.1	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Partridge	266.8	157.2	16.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Ostrich	300	176.7	17.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Merlin	336.4	179.9	17.4	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Linnet	336.4	198	18.3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Oriole	336.4	210.3	18.8	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Chickadee	397.5	212.5	18.9	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Brant	397.5	227.5	19.6	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Ibis	397.5	234	19.9	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-3	CRC-4	CRC-4	CRC-4
Lark	397.5	248.5	20.5	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Pelican	477	255.1	20.7	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Flicker	477	273.1	21.5	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Hawk	477	280.8	21.8	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Hen	477	298.1	22.3	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4
Osprey	556.5	297.5	22.4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4	CRC-4

\* VARIANTS: The product is manufactured and supplied in modifications as following page. Special range can be required.